

YDPU2.E305771 - Tubing, Extruded Insulating - Component

Tubing, Extruded Insulating - Component

RTE DI BRAMBILLA MASSIMO GIORGIO E C SNC

Via Borgo Roldi 49
Pandino, Cr 26025 Italy

E305771

Cat. No.	Voltage Rating	Temperature Rating, °C	Color	Oil-resistance Class	VW-1 Flame
Flexible heat shrinkable Polyolefin tubing					
HF HALOGEN FREE	600	125	All except clear	None	Yes
STP-BS	300	125	All except clear	None	Yes
STP125-BS	600	125	All except clear	None	Yes
STP125-F	600	125	All except clear	None	Yes
STP135	600	125	All except clear	None	Yes
T3155	600	125	All except clear	None	Yes
TTP31	600	125	All except clear	None	No
Heat shrinkable Polyolefin tubing					
STP	600	125	All except clear	None	Yes
STP125	600	125	All except clear	None	Yes
Heat shrinkable Polyolefin tubing with adhesive liner					
TA3155	600	125	BK	None	Yes
TA4155	600	125	BK	None	Yes
Not heat shrinkable Polyvinyl Chloride (PVC) tubing					
PVC-UL	600	105	All except clear	01	Yes

Marking: Company name or tradename "E305771", catalog designation, temperature rating in degrees Celsius (if authorized above), voltage rating (if authorized above), date of manufacture (or traceable code), flammability rating (if VW-1), oil resistance rating (if 01, 02., 03), inside diameter (before and after recovery for heat-shrinkable tubing), and date of manufacture (or traceable code) printed on tags attached to both ends of the tubing, or printed on the shipping spool label or smallest unit container in which the product is packaged..

Last Updated on 2021-06-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"

YDPU8.E305771 - Tubing, Extruded Insulating Certified for Canada - Component


Tubing, Extruded Insulating Certified for Canada - Component

RTE DI BRAMBILLA MASSIMO GIORGIO E C SNC

Via Borgo Roldi 49
Pandino, Cr 26025 Italy

E305771

Cat. No.	Voltage Rating	Temperature Rating, °C	Color	Oil-resistance Class	VW-1 Flame
Flexible heat shrinkable Polyolefin tubing					
HF HALOGEN FREE	600	125	All except clear	None	Yes
STP-BS	300	125	All except clear	None	Yes
STP125-BS	600	125	All except clear	None	Yes
STP125-F	600	125	All except clear	None	Yes
STP135	600	125	All except clear	None	Yes
T3155	600	125	All except clear	None	Yes
TTP31	600	125	All except clear	None	No
Heat shrinkable Polyolefin tubing					
STP	600	125	All except clear	None	Yes
STP125	600	125	All except clear	None	Yes
Heat shrinkable Polyolefin tubing with adhesive liner					
TA3155	600	125	BK	None	Yes
TA4155	600	125	BK	None	Yes
Not heat shrinkable Polyvinyl Chloride (PVC) tubing					
PVC-UL	600	105	All except clear	01	Yes

Marking: Company name or tradename "E305771", catalog designation, temperature rating in degrees Celsius, voltage rating, date of manufacture (or traceable code), flammability rating (if VW-1), oil resistance rating (if 01, 02., 03), inside diameter (before and after recovery for heat-shrinkable tubing) and the Recognized Component Mark for Canada,  printed on tags attached to both ends of the tubing, or printed on the shipping spool label or smallest unit container in which the product is packaged..

Last Updated on 2021-06-28

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2022 UL LLC"